

东莞日昇进出口有限公司

DONGGUAN SUNRISE IMPORT & EXPORT CO.,LTD

ADD: No. 6, Chongwen Lane 4, Xiang Wei, Dalang Town, Dongguan City, Dongguan City, Guangdong, CHINA
<https://www.sunrisedg.com> Email: Jesslin123@163.com WeChat /Whatsapp : +86 159 9271 9785

Model: SR-332

Summary:

This machine is designed for determining the colorfastness of leather, plastics and textile materials. The colorfastness is assessed by checking change in color of the specimen and stain of the felt after rubbing the specimen. Both dry and wet tests can be made by this machine, which has the memory function.



Features:

The Leather Friction Color Fastness Rubbing Tester is the working table driven by motor with specified speed and standard pressure to do reciprocating linear motion, the motor automatically stop if it arrives the specified number.

Applicable industry:

This Tester applied to test leather property in shoes, clothing, luggage handbag industry, research laboratories, Commodity inspection, arbitration and technical supervision departments.

Corresponding standard :

ISO-11640: Leather -- Tests for colour fastness -- Colour fastness to cycles of to-and-fro rubbing

SATRA TM173: Colour fastness to rubbing - Reciprocating method

DIN EN 13516: Test methods for uppers, linings and insocks - Colour fastness to rubbing

Etc...

This IULTCS Color Fastness Tester can conform to but not limit to the standard above, for more standard conformance, please contact us.


Technical parameters:

Model	IULTCS Rubbing Leather Color Fastness Tester
Specimen size	120*20mm
Testing block size	15*15 mm (option purchase)
Pillar load	500g
Load weight	500g
Testing table range	35 ± 2 mm
Speed of abrasive head	40 ± 2 cpm
Counter	LCD, 0~999999
Volume	30.5 * 43 * 47.5cm
Power	220V, 50Hz

SUNRISE is a professional manufacturer for various test equipment, we denote ourselves to making best quality products and service for providing you a suitable solutions!

We focus on every details of product quality and precision.

Fixture: Professional fixture, stainless steel manufacture.



Display: Adopt LCD screen display, convenience and efficient.



Standard precise load weight, accurate to 0.01g



STM 421P standard square felt pads, 15*15mm (optional purchase)





OUR SERVICES

- **One year Warranty** including free maintenance and changing Instrument components
- We will offer operation video, English operation manual ,life-long technical assistance and video teaching
- **Future testing solutions consultation and laboratory free test**, you can send samples to us, and we can test it for you





- **Unbeatable prices**, we are constantly trying to find ways to reduce our production costs and give you through price!
- Strong brand awareness, our company is gradually building our brand, for which we will seriously treat every customer, and ensure the quality of each product.
- Special Offers In order to maintain our competitive edge, **we are constantly running special offers on our promotion tester machine, consumer goods, and design services**. Contact our sales team to see how we can help you save a lot of money.



What we produce? (always accept customize)

- | | | |
|------------------------------|--------------------------|--------------------------------|
| 1. Universal tensile testers | 2. Hardness testers | 3. Environmental chambers |
| 4. Mobile/Laptop testers | 5. Paper&package testers | 6. Abrasion resistance testers |
| 7. Insertion force tester | 8. Color testers | 9. Rubber/plastic testers |
| 10. Fabric testers | 11. Wire testers | 12. Other testers |



Professional packing

We have professional packaging teams and shipping forwarder to pack and deliver your products safely!

- ❖ Out packing: Standard export wooden case.
- ❖ Inner packing: With careful stretch film wrap products, hard wood board + strong bandage to fix corners.
- ❖ Checking teams: Specialized staff to inspect and classified your goods.



Any interests, pls contact Jess as following Online contact way, easy and fast!

WeChat / Skype / Whatsapp / Tel : +86 159 9271 9785